



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME IX

(New names and final members of new combinations are in **heavy-face** type.)

- Actinomyces and hydrogen-ion concentration, 160
- Agaricus, development of: *arvensis*, 512; *campestris*, 509; *comtulus*, 512; *melleus*, 510; *Rodmani*, 512; *tabularis*, temperatures for growth of, 388
- Age and maturity of host tissue in relation to virulence of disease, 196
- Agropyron, susceptibility of, to disease, 196
- Agrostis alba*, susceptibility of, to disease, 197
- Algal cells, methods of healing in some, 18
- Alsine media*, viability of seeds in, 268
- Alternaria brassicae*, 459
- Althea rosea*, *Puccinia malvacearum* on, 195
- Aluminum and iron salts, the growth of field corn as affected by, 47
- Amanitopsis vaginata*, development of the carpophore of, 511
- Amaranthus graecizans*, viability of seeds in, 268; *retroflexus*, viability of seeds in, 268
- Ambrosia elatior*, viability of seeds in, 268
- Anthemis cotula*, viability of seeds in, 268
- Apples, freezing of, in storage, 555
- Arenga saccharifera*, 82
- Arisaema triphyllum* and *Arisaema Dracontium*, control of the sexual state in, 72
- Armillaria (mellea)*, 510
- ARNDT, CHARLES HOMER. The growth of field corn as affected by iron and aluminum salts, 47
- Ascochyta pisti*, 464
- Ash, *Fomes fraxinophilus* on, 506; *Polyporus hispidus* on, 506
- Asparagus rust, 194
- Aspergillus niger*, 459; and hydrogen-ion concentration, 159
- Avena sativa*, 199
- BAILEY, IRVING W. The pollination of *Marcgravia*: a classical case of ornithophily?, 370
- Barley, top and root growth of, 423
- BARTLETT, H. H. (See Carl D. La Rue, 79, and Peter J. Klaphaak, 446)
- Beal's, Dr. W. J., seed-viability experiment, 266
- BENEDICT, R. C. The origin of new varieties of *Nephrolepis* by orthogenetic saltation II. Regressive variation or reversion from the primary and secondary sports of *bostoniensis*, 140
- BENNETT, C. W. (See H. C. Young, 459)
- Berberis vulgaris*, 199
- BERGMAN, H. F. Observations on the effect of water-raking on the keeping quality of cranberries, 245
- Betel-nut palm, leaf spot of, 85
- Bignoniaceae, stigmas of, 120
- Biophysics as a point of view in plant physiology, 37
- Birch twigs, temperatures of, 389
- Blackberry canes, temperatures of, 387
- BONNS, WALTER W. A preliminary study of *Claviceps purpurea* in culture, 339
- Bordeaux mixture, the effect of, upon the chlorophyll content of the primordial leaves of the common bean, *Phaseolus vulgaris* L., 535
- Bornetia secundiflora*, healing in, 18
- Botryosphaeria ribis*, 386
- Botrytis allii*, 464; *cinerea* and hydrogen-ion concentration, 161; *cinerea* on strawberries, 204
- Brassica nigra*, viability of seeds in, 268
- Bremia lactucae* on lettuce, 233
- Bromus secalinus*, 187; viability of seeds in, 268
- Bursa bursa-pastoris*, viability of seeds in, 268
- Caeoma abietis-canadensis*, origin of pycnia of, 363
- Calvatia cyathiformis*, temperatures for growth of, 388
- Cannabis sativa*, sex in, 78
- Caracasia, nectaries of, 371
- Carbohydrates, effect of, on root growth, 442
- Carbon metabolism of the host, 189
- Carnation rust, 194

- Catalpa bignonioides*, stigma of, 100
 Cell-plate formation, review of literature of, 296
Cercospora apii, 464; *beticola*, 464
Cestrum nocturnum, 263
Chaetochloa lutescens, viability of seeds in, 268
Chaetomorpha melagonium f. *typica*, healing in, 12
 Chara, healing in, 19
Chenopodium album, viability of seeds in, 268
 Chlorophyll content of the primordial leaves of the common bean, *Phaseolus vulgaris* L., the effect of Bordeaux mixture upon, 535
 Chomiocarpon, 288
 Citrus leaves, vein-islets of, 121
 Cladophora, healing in, 19
Claviceps Paspali, 340; *purpurea* in culture, a preliminary study of, 339
 CLELAND, RALPH E. The reduction divisions in the pollen mother cells of *Oenothera franciscana*, 391
 Coconut pinnae, incipient drying and wilting as indicated by movements of, 253
Cocos nucifera, leaves used in physiological experiments, 254; Pestalozzia on, 81
 Cold storage of fruits and vegetables, 551
Colletotrichum lagenaria, 464; *lindemuthianum*, 459
 Conocephalum, 293
 Coprinus, certain species of, and *Agaricus campestris*, the origin and development of lamellae in, 509
 Coprinus, development of; *atramentarius*, 512; *comatus*, 512; *ephemerus* 513; *micaceus*, 510; *stercorarius*, 513
 Corn, the growth of field, as affected by iron and aluminum salts, 47; roots of, with plumule and endosperm removed but with cotyledon attached, effect of increased nitrates upon growth of, 439
Cortinariu pholidius, development of, 512
 Cranberries, observations on the effect of water-raking on the keeping quality of, 245
Cronartium ribicola, infection of Ribes by, 197
 Culture media, synthetic, growth of some parasitic fungi in, 459
 Cultures, plant, the physiological balance in nutrient solutions for, 180
 Currant twigs, temperatures of, 386
 Cuscuta, revision of the South American species of, 557
Cuscuta acutiloba, 567; *americana*, 573, v. *congesta*, 573, v. *spectabilis*, 573; *argentini-ana*, 561; *boliviana*, 565; *bracteata*, 569; *brevisquamata*, 560; *chilensis*, 562; *corniculata*, 570; *corymbosa*, 573, v. *grandiflora*, 573, v. *microlepis*, 573; *epithymum*, 559; *foetida*, 565, v. *pycnantha*, 566; v. *typica*, 566; *globiflora*, 564; *goyaziana*, 568; *grandiflora*, 560; *incurvata*, 571; *microstyla*, 561; *odorata*, 563, v. *botryoides*, 564, v. *Holway-ana*, 564, v. *typica*, 564; *orbiculata*, 572; *partita*, 574; *prismatica*, 574; *serrata*, 569; *trichostyla*, 571, v. *carinata*, 572; *typica*, 572; *umbellata*, 575; *xanthochortus*, 567, v. *lanceola'a*, 568, v. *typica*, 567
 Cytokinesis of Nelumbo, the meiotic, 296
Dactylis glomerata, susceptibility of, to disease, 196
 DARLINGTON, H. T. Dr. W. J. Beal's seed-viability experiment, 266
Dianthus sinensis, *Puccinia Caryophylli* on, 193
Digitalis purpurea, stigma of, 102
Diplacus glutinosus, stigmas of, 99
 Disease resistance and susceptibility, 183; 215
 DODGE, B. O. Studies in the genus *Gymnosporangium* IV. Distribution of the mycelium and the subcuticular origin of the telium in *G. clavipes*, 354
Dothidella quercus, 464
 Drying and wilting, incipient, as indicated by movements of coconut pinnae, 253
Dumortiera irrigua, 288; *trichocephala*, 288; *velutina*, 288
 DUPLER, A. W. The male receptacle and antheridium of *Reboulia hemisphaerica*, 285
 Ecological relations of plants in south-eastern Missouri, 1
 Elymus, susceptibility of, to disease, 196
Endothia parasitica and hydrogen-ion concentration, 160
 Environmental temperatures of fungi in nature, 385
Epilobium hirsutum, root cells of, 123
Erechtites hieracifolia, viability of seeds in, 268

- Ergot, the chemistry and toxicology of, 348
Erysiphe graminis, 447; on barley, 426;
Polygoni on *Oenothera*, 449
Euonymus japonicus, infected by powdery mildew, 450
Euphorbia maculata, viability of seeds in, 268
- FARR, CLIFFORD H. The meiotic cytogenesis of *Nelumbo*, 296
 Fimbriaria, 291
 Flax, top and root growth in, 432
Fomes fraxinophilus on ash, 506; *igniarius* on poplar, 506
 Forests of southeastern Missouri, 3
Fouquieria splendens, water content of the leaves of, 262
Fragaria sp., temperatures of, 387
 Freezing, the effect of low-temperature storage and, on fruits and vegetables, 551
 Fungi, environmental temperatures of, in nature, 385
 Fusarium and hydrogen-ion concentration, 161; *batatis*, 464; *conglutinans*, 464; *oxysporum*, 462; *radicicola*, 464
- GERICKE, W. F. On the physiological balance in nutrient solutions for plant cultures, 180; certain relations between root development and tillering in wheat: significance in the production of high-protein wheat, 366
Gibberella Saubinetii on wheat, 159
Glomerella Gossypii and hydrogen-ion concentration, 159
 Growth of field corn as affected by iron and aluminum salts, the, 47
 Gymnosporangium, studies in the genus, IV. Distribution of the mycelium and the subcuticular origin of the telium in *G. clavipes*, 354; on *Juniperus virginiana*, 354; *juniperi-virginiana* infections on apple, 197
- HANSON, HERBERT C. Prairie inclusions in the deciduous forest climax, 330
 HAWKINS, LON A. The effect of low-temperature storage and freezing on fruits and vegetables, 551
 Healing in some algal cells, methods of, 18
Hendersonia theaeicola on tea, 81
Hevea brasiliensis, *Pestalozzia* on, 79
- HOPKINS, E. F. Hydrogen-ion concentration in its relation to wheat scab, 159
Hordeum vulgare, absorption of salts by, 316
 HUNTER, MABEL R. The present status of *Scolopendrium* in New York State, 28
 Hydrogen-ion concentration in its relation to wheat scab, 159
- Impatiens aurea*, 200
 Iron and aluminum salts, the growth of field corn as affected by, 47
 IRWIN, MARIAN, and MARGARET WEINSTEIN. Comparative studies on respiration XXI. Acid formation and decreased production of CO₂ due to ethyl alcohol, 277
- JOHNSTON, EARL S. Undercooling of peach buds, 93
 Jungermanniales, 291
- KAUFFMAN, C. H., and H. M. KERBER. A study of the white heart-rot of locust caused by *Trameles robiniofila*, 493
 KERBER, H. M. (See C. H. Kauffman, 493)
 KLAPHAAS, PETER J., and H. H. BARTLETT. A preliminary notice of genetical studies of resistance to mildew in *Oenothera*, 446
- LA RUE, CARL D., and H. H. BARTLETT. A demonstration of numerous distinct strains within the nominal species *Pestalozzia Guepini* Desm., 79
Lepidium virginicum, viability of seeds in, 268
 Lepiota, development of: *clypeolaria*, 512; *cristata*, 512; *seminuda*, 512
 LEVINE, MICHAEL. The origin and development of lamellae in *Agaricus campestris* and certain species of *Coprinus*, 509
 Lignification of mature phloem in herbaceous types, 239
 Locust, a study of the white heart-rot of, caused by *Trameles robiniofila*, 493
Lolium temulentum, 234
 Lunularia, 293
Lychnis githago, viability of seeds in, 268
- Macrosporium brassicae*, 459; *commune* and hydrogen-ion concentration, 159; *sarcinaeforme*, 464

- Magnolia, cell division in, 302
Malva rotundifolia, viability of seeds in, 268
 Marcgravia, the pollination of; a classical case of ornithophily?, 370
Marcgravia cuyuniensis, description of, 377; **purpurea**, description of, 378
 Marchantiales, 285
Martynia lutea, stigma of, 103; *proboscidea*, stigma of, 103
 Martyniaceae, stigmas of, 120
 Meiotic cytokinesis of *Nelumbo*, the, 296
Mercurialis annua, sex in, 78
 MERRIMAN, MABEL L. A new species of *Spirogyra* with unusual arrangement of the chromatophores, 283
 Micrococcus, on *Oenothera Lamarckiana*, 447
 Mildew in *Oenothera*, a preliminary notice of genetical studies of resistance to, 446
Mimulus cardinalis, stigma of, 103; *glabratus*, 108; *glabratus* var. *Jamesii*, 109; *guttatus*, 100; *luteus*, 103; *punctatus*, 117
 Mineral nutrients in host, 185
 Missouri, ecological relations of plants in southeastern, 1; forests of southeastern, 3
Monoselenium tenerum, 288
 MUENSCHER, WALTER C. The effect of transpiration on the absorption of salts by plants, 311

Nelumbo, the meiotic cytokinesis of, 296
 Nephrolepis, the origin of new varieties of, by orthogenetic saltation II. Regressive variation or reversion from the primary and secondary sports of *bostoniensis*, 140
 NEWCOMBE, F. C. Significance of the behavior of sensitive stigmas, 99
 NICHOLS, SUSAN P. Methods of healing in some algal cells, 18
 Nicotiana, cell division in, 303
 Nitella, healing in, 20
 Nitrogen nutrition in host, 185
Norantea anomala, 371; *brasiliensis*, 371
Notoholcus lanatus, 199
Nuphar luteum, cytokinesis in, 297
 Nutrient solutions for plant cultures, physiological balance in, 180; solutions for wheat, 270
Nymphaea alba, cell plate in, 298; cytokinesis in, 297

Oenothera, a preliminary notice of genetical studies of resistance to mildew in, 446; *biennis*, 391, viability of seeds in, 268; *biennis* *Chicago*, 448; *cinerescens*, 449; *franciscana*, the reduction divisions in the pollen mother cells of, 391; *grandiflora*, 391; *Lamarckiana*, infection by *Micrococcus*, 447; *mississippiensis*, 448; *numismatica*, 448, immunity to mildew, 446; *nutans*, 447; *pratensis*, 448, infection by mildew, 446, hyb. *immunis*, 448, hyb. *viscida*, 448; *Reynoldsii*, 449, immunity to mildew, 446; *scitula*, immunity to mildew, 446; *stenomeres*, infection by mildew, 446
 Ornithophily?, the pollination of *Marcgravia*: a classical case of, 370
 Orthogenetic saltation, the origin of new varieties of *Nephrolepis* by, II. Regressive variation or reversion from the primary and secondary sports of *bostoniensis*, 140

 Peach, Elberta, 93; Greensboro, 94; buds, undercooling of, 93
 Pears, freezing of, in storage, 555
Pellia epiphylla, 291
Penicillium cyclopium and hydrogen-ion concentration, 161
Peridermium balsameum, origin of pycnia of, 363; *Hydrangeae*, origin of pycnia of, 363; *Peckii*, origin of pycnia of, 363
Peronospora Arthuri, 447
Pestalotzia Guepini Desm., a demonstration of numerous distinct strains within the nominal species, 79; *palmarum*, diseases caused by, 81; *Theae*, on tea, 81
Phaseolus vulgaris L., the common bean, the effect of Bordeaux mixture upon the chlorophyll content of the primordial leaves of, 535
Phleum pratense, susceptibility of, to disease, 197
 Phloem, lignification of mature, in herbaceous types, 239
 Pholiota, development of; *adiposa*, *flammans*, *squamosa*, 512
Phoma apiicola, 464
Pisum sativum, infection by *Erysiphe Polygoni*, 450
 Plagioglasma, 292
 Plant physiology, biophysics as a point of view in, 37

- Plantago major*, viability of seeds in, 268
Plenodomus fuscomaculans, 461
Pluteus admirabilis, development of, 512
 Pollination of *Marcgravia*, the: a classical case of ornithophily?, 370
 Polyembryony, 213
Polygonum hydropiper, viability of seeds in, 268
Polyporus hispidus, on ash, 506
Polystigma rubrum, temperatures of leaves affected by, 388
 Poplar, *Fomes ignarius* on, 506
Portulaca oleracea, viability of seeds in, 268
 Potato, injury from freezing in storage, 555; ovules with two embryo sacs, 213
 Prairie inclusions in the deciduous forest climax, 330
 Preissia, 288
Puccinia Asparagi, susceptibility of onions to, 196; *Caryophylli*, artificial infection with, 188; *coronata*, 193; *coronifera*, 218, on oats, 190; *dispersa*, 187; *glumarum*, resistance to, in wheat, 186; *graminis* on barberry and wheat, 199; *graminis avenae* on oats, 197; *graminis tritici* on wheat seedlings, 188; *malvacearum* on *Allihea rosea*, 195; *poculiformis*, 201; *rubigo-vera* on rye, 198; *secalina*, 218; *Sorghii*, 218, on *Zea Mays*, 190; *triticea*, 199, 218
 PULLING, HOWARD E. Biophysics as a point of view in plant physiology, 37
 Radish, respiration in, 277; roots, effect of increased nitrates upon growth of, 438
 RAINES, M. A. Vegetative vigor of the host as a factor influencing susceptibility and resistance to certain rust diseases of the higher plants I, 183; II, 215
 RANKIN, E. J. (See W. E. Tottingham, 270)
Reboulia Charrieri, 286; *hemisphaerica*, the male receptacle and antheridium of, 285; *occidentalis*, 286
 Reduction divisions in the pollen mother cells of *Oenothera franciscana*, the, 391
 Relations between root development and tillering in wheat, certain: significance in the production of high-protein wheat, 366
 Resistance and susceptibility to certain rust diseases of the higher plants, vegetative vigor of the host as a factor influencing, 183; 215
 Respiration, comparative studies on XXI. Acid formation and decreased production of CO₂ due to ethyl alcohol, 277; XXII. The effect of lactic acid on the respiration of wheat, 307
Rhamnus cathartica, 199
Rhizoctonia solani, 464
Rhizopus nigricans, 462; on strawberries, 204
 Ribes, resistance and susceptibility to infection by *Cronartium ribicola*, 197
Robinia Pseudo-Acacia, white heart-rot of, 493
 Root cells of *Salix nigra* Marsh., the relation of age to size in certain, 121
 Root growth in seed plants, studies of the mechanism of the physiological effects of certain mineral salts in altering the ratio of top growth to, 415
 Roots of corn, with plumule and endosperm removed but with cotyledon attached, effect of increased nitrates upon growth of, 439; radish, effect of increased nitrates upon growth of, 438
Rumex crispus, viability of seeds in, 268
 Rust diseases of the higher plants, vegetative vigor of the host as a factor influencing susceptibility and resistance to certain, 183; 215
 RUTH, W. A. The effect of Bordeaux mixture upon the chlorophyll content of the primordial leaves of the common bean, *Phaseolus vulgaris* L., 535
 Ruyschia, nectaries of, 371
Salix nigra Marsh., the relation of age to size in certain root cells and in vein-islets of the leaves of, 121
 Salts, the growth of field corn as affected by iron and aluminum, 47
 Salvia, respiration in, 277
 SCHAFFNER, JOHN H., Control of the sexual state in *Arisaema triphyllum* and *Arisaema Dracontium*, 72
Schizophyllum commune, development of, 513
Sclerotinia cinerea, 464; *libertiana*, 464
 Scolopendrium in New York State, the present status of, 28; *vulgare*, 28
 Scrophulariaceae, stigmas of, 119
 Seed plants, studies of the mechanism of the physiological effects of certain mineral salts in altering the ratio of top growth to root growth in, 415

- Seed-viability experiment, Dr. W. J. Beal's, 266
- Selaginella Kraussiana*, 77
- Septoria Apii*, on celery plants, 233
- Sesbania aculeata*, floating roots of, 123
- Sexual state, in *Arisaema triphyllum* and *Arisaema Dracontium*, control of the, 72
- SMITH, EDITH PHILIP. Comparative studies on respiration XXII. The effect of lactic acid on the respiration of wheat, 307
- Solanum tuberosum*, polyembryony in, 213
- Souroubea, 372
- Sphaeropsis malorum*, 464
- Spirogyra, a new species of, with unusual arrangement of the chromatophores, 283; cell wall of, 18; *crassa*, 283; *rectispira*, description of, 284
- SPONSLER, O. L. The structure of the starch grain, 471
- Starch grain, the structure of the, 471
- Sterigmatocystis violae*, 464
- STEVENS, NEIL E. Rots of early strawberries in Florida and southern California, 204; environmental temperatures of fungi in nature, 385
- Stigmas, significance of the behavior of sensitive, 99
- Strawberries, rots of early, in Florida and southern California, 204; temperatures of, 387
- Strongylocentrotus purpuratus*, 282
- Susceptibility and resistance to certain rust diseases of the higher plants, vegetative vigor of the host as a factor influencing, 183; 215
- Synthetic culture media, growth of some parasitic fungi in, 459
- Syringa, rot of, 501
- Tecoma radicans*, stigma of, 100
- TELLEFSSEN, MARJORIE A. The relation of age to size in certain root cells and in vein-islets of the leaves of *Salix nigra* Marsh., 121
- Temperature, low-, storage and freezing on fruits and vegetables, the effect of, 551; relations to disease virulence, 192
- Torenia fournieri*, stigma of, 100
- TOTTINGHAM, W. E., and E. J. RANKIN. Nutrient solutions for wheat, 270
- Trameetes robiniophila*, a study of the white heart-rot of locust caused by, 493
- Transpiration, the effect of, on the absorption of salts by plants, 311
- Trauma in relation to susceptibility to disease, 195
- TRELEASE, SAM F., Incipient drying and wilting as indicated by movements of conut-pinnæ, 253
- Trifolium repens*, viability of seeds in, 268
- Triticum, species of, 199
- Tubaria furfuracea*, development of, 513
- TURNER, THOMAS WYATT. Studies of the mechanism of the physiological effects of certain mineral salts in altering the ratio of top growth to root growth in seed plants, 415
- Undercooling of peach buds, 93
- UPHOF, J. C. TH. Ecological relations of plants in southeastern Missouri, 1
- Uromyces caryophyllinus*, 238
- Utricularia vulgaris*, stigma of, 100
- Variation, regressive, or reversion from the primary and secondary sports of *Neophrolepis exallata* var. *bostoniensis*, 140
- Vaucheria, healing in, 19
- Vein-islets of the leaves of *Salix nigra* Marsh., the relation of age to size in, 121
- Verbascum thapsus*, viability of seeds in, 268
- Vermicularia* sp., 464
- Viability of seedſ, 266
- Vitis vulpina*, vein-islets in the leaves of, 121
- Water relations to disease virulence, 191
- WEINSTEIN, MARGARET. (See Marian Irwin, 277)
- Wheat, certain relations between root development and tillering in: significance in the production of high-protein wheat, 366; nutrient solutions for, 270; respiration of, 307; scab, hydrogen-ion concentration in its relation to, 159; seedlings in nutrient solutions, 180
- WILSON, CARL L. Lignification of mature phloem in herbaceous types, 239
- YOUNG, H. C., and C. W. BENNETT. Growth of some parasitic fungi in synthetic culture media, 459
- YOUNG, W. J. Potato ovules with two embryo sacs, 213
- YUNCKER, T. G. Revision of the South American species of *Cuscuta* I, 557
- Zea Mays*, growth of, 47-71; *Puccinia Sorghi* on, 190, 219; roots of, 123